

PM 500 DC Amplifier

STEREO PHONO

console Stereo amplifier



selector



tape copy



equalizer



balance



volume



tape monitor



low filter mono defeat



loudness



speakers



phones



power

PM 500 DC Amplifier


marantz

console Stereo amplifier

PHONO 2 PHONO 1 TUNER



1-2 OFF 2-1



balance

volume

selector

tape copy



tape monitor



low filter mono defeat



loudness

speakers

phones power

PM 500 DC Amplifier

PHONO 2 • PHONO 1 • TUNER • TAPE 3 /AUX •

1→2 • OFF • 2→1

selector

tape copy

console *Stereo* amplifier



RIGHT

balance



SPEAKER SYSTEMS

SYSTEM 2 SYSTEM 1

R L R L

SYSTEM 1 : 4 ~ 16 OHMS
SYSTEM 2 : 4 ~ 16 OHMS
SYSTEM 1 AND 2 : 8 ~ 16 OHMS

CAUTION: FOR CONTINUED PROTECTION
AGAINST FIRE HAZARD, REPLACE ONLY
WITH SAME TYPED SA 250T FUSE.

AC OUTLETS
120V 60Hz

UNSWITCHED SWITCHED
200W MAX. 100W MAX.

INTERNATIONAL ELECTRONIC CORP.
CHATSWORTH, CALIFORNIA, U.S.A.

Model No. PA-500

100V AC 60Hz 5A

DESIGNED IN U.S.A. PRODUCED IN JAPAN

SERIAL 102

052030167



PASSED

TAPE 2 MONITOR OUT IN TAPE 1 MONITOR OUT IN

L R L R L R L R

INPUTS

TAPE 3 TUNER PHONO2 PHONO1 GND

L R L R L R L R

AND, REPLACE ONLY
1.5A 250V FUSE.

marantz
CHATSWORTH, CALIFORNIA, U.S.A.

Model No. PM500

120V AC 60Hz 3A

DESIGNED IN U. S. A. PRODUCED IN JAPAN

SERIAL NO.

97U010461