

SD-900/E+ Improved Super Cartridge

Price \$225
Type Moving coil
Stylus Vital; 0.3 x 0.7 mil
Track. force 1.2 to 1.7 grams
Compliance 20 x 10⁻⁶ cm/dyne lateral; 20 x 10⁻⁶ cm/dyne vertical
Output 0.2 mV at 5 cm/sec at 1 kHz
Response 10 Hz to 50 kHz, ±3 dB
Separation 30 dB (1 kHz)
Vert. angle 20 degrees
Features Requires step-up transformer

SM-100/Mk. II

Price \$70
Type Moving magnet
Stylus Elliptical; 0.3 x 0.8 mil
Track. force 1 to 2 grams
Compliance 25 x 10⁻⁶ cm/dyne lateral; 20 x 10⁻⁶ cm/dyne vertical
Output 2.5 mV at 5 cm/sec at 1 kHz
Response 18 Hz to 22 kHz, ±2 dB
Separation 32 dB (1 kHz)
Vert. angle 20 degrees
Recom. load 47K ohms; 300 pF

Models also available

SD-900/Mk. II, \$350; SD-901/E+ Super, \$175; SM-100/Mk. III, \$90

TECTRON

Alpha Group, Inc.
 7321 Victoria Park Ave., Unit 2
 Markham, Ontario L3R 2Z8

TC-10

Price \$199.95
Weight 8.5 grams
Type Moving coil
Stylus 0.3 x 0.8 mil 0.15 Solid Diamond
Track. force 1.5, ± 0.2g
Compliance 15 lateral; 10⁻⁶ vertical
Output 0.2 mV at 5cm/sec at 1 kHz
Response 10 Hz to 50 kHz
Separation 25 dB (1 kHz)
Vert. angle 45 degrees
Features Pre-mounted on headshell; stylus cleaner fluid included; 5-year exchange on cartridge body

T-211E

Price \$99.95
Weight 6.2 grams
Type Moving magnet
Stylus 0.3 x 0.7 mil
Track. force 1.5 to 2.5 grams
Compliance 12 lateral; 10⁻⁶ vertical
Output 4 mV at 5 cm/sec at 1 kHz
Response 20 Hz to 20 kHz
Separation 25 dB (1 kHz)
Features Premounted on headshell; stylus cleaner fluid included; 5-year exchange on cartridge body

T-812H

Price N/A
Weight 6 grams
Type Moving magnet
Stylus 0.5 mil
Track. force 2 to 3.5 grams
Compliance 10 lateral; 10⁻⁶ vertical
Output 10 mV at 5 cm/sec at 1 kHz
Response 20 Hz to 20 kHz

Separation 23 dB (1 kHz)
Features Premounted on headshell; stylus cleaner fluid included; 5-year exchange on cartridge body

Models also available

T-71255, \$179.95; T-712E, \$139.95; T-211S, \$84.95; T-812C, N/A; T-812E, N/A; T-712S, N/A; T-712H, N/A; T-512E, N/A; T-512S, N/A; T-512SS, N/A

THORENS

Epicure Products, Inc.
 25 Hale St.
 Newburyport, Mass. 01950

TMC-63, TMC-70

Price \$465
Type Moving coil
Stylus Fine line; 0.3 mil
Track. force 2 to 3 grams
Compliance 12 x 10⁻⁶ cm/dyne lateral; 12 x 10⁻⁶ cm/dyne vertical
Output 0.25 mV at 1 cm/sec at 1 kHz
Response 20 Hz to 20 kHz, ±2 dB
Separation 25 dB (1 kHz)
Vert. angle 20 degrees
Recom. load 22 ohms
Features The TMC-63 is mounted in Thorens plug-in arm for TD-126 Mk. III; TMC-70 is mounted in Thorens plug-in arm for TD-110, TD-115

Models also available

TPO-63, TPO-70, \$175

YAMAHA

Yamaha International Corp.
 P.O. Box 6600
 Buena Park, Calif. 90620

MC-7



Price \$120
Weight 5.7 grams
Type Moving coil
Stylus Elliptical
Track. force 1.2 to 1.8 grams
Compliance 35 x 10⁻⁶ to cm/dyne lateral; 15 x 10⁻⁶ cm/dyne vertical
Output 0.3 mV at 5 cm/sec at 1 kHz
Response 10 Hz to 20 kHz
Separation 28 dB (1 kHz); 20 dB, 20 Hz to 20 kHz
Vert. angle 20 degrees
Recom. load 100 ohms
Features Sendust-core armature

Models also available

MC-1X, \$270 (unmounted); MC-1S, \$220

Turntables

ADC

BSR (USA) Ltd.
 Route 303
 Blauvelt, N.Y. 10913

Accutrac 3500RVC*

Price \$400
Dimensions 6¾H x 17¾W x 16D
Weight 16 lbs. 8 oz. (net)
Type Changer
Speeds 33; 45
Speed adj. ±3%
Motor type 24-pole, 300-rpm synchronous AC
Drive type Belt
Rumble -66 dB (DIN B)
Wow/flutter 0.4% (WRMS)
Cueing Yes
Track. force 0 to 4 grams
Antiskating 0 to 4 grams
Resonance 10 to 12 Hz (with ADC LMA-3 cartridge)
Headshell Fixed
Features Computerized memory bank for electronic track selection (6 records); wireless remote control including volume; Accuglide® transport system

3001



Price \$249.95 (tonearm not included)
Dimensions 3H x 18¾W x 14¼D
Weight 22 lbs. (net)
Type Manual
Speeds 33 1/3; 45
Speed adj. ±5% (with strobe)
Motor type Electronically-controlled brushless motor DC
Drive type Direct
Rumble -70 dB (DIN B)
Wow/flutter 0.03% (DIN-weighted)
Features Universal tonearm mounting capability; 3 lbs. 2 oz. dynamically balanced die-cast aluminum platter

Models also available

1700DD, \$280; 1600DD, \$230; 1510FG, 190

AIWA

Aiwa America
 350 Oxford Drive
 Moonachie, N.J. 07074

LP-3000

Price \$1,000

Dimensions 5 15/16H x 18 15/16W x 17 5/16D
Weight 33 lbs. 3 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±6%
Motor type Pulse synthesizer quartz-PLL servo
Drive type Direct
Rumble -75 dB (DIN B)
Wow/flutter 0.025% (WRMS) (JIS)
Cueing Yes
Track. force 0 to 3 grams
Track. error 0 degree
Headshell Removable
Features Straight-line tracking; linear trace arm; automatic programming; auto repeat forward and back skipping; cue and review; pause; optional remote control; quartz-locked speed control

AP-D30H



Price \$220
Dimensions 4 7/8H x 16 3/4W x 14 1/2D
Weight 15 lbs. 3 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type 2-phase, 10-pole DC servomotor
Drive type Direct
Wow/flutter 0.035%
Cueing Yes
Track. force 0 to 4 grams
Antiskating Yes
Track. error +3, -1.5 degrees
Headshell Removable
Cart. mass 3.5 to 8 grams
Features Unique space-saving design; multi-voltage linear torque motor; high sensitivity S-shaped tonearm; rec sync operation; damped cueing; free-stop dust cover; stroboscope design for easy reading

Models also available

AP-2600, \$400; AP-D50U, \$350

AKAI

Akai America, Ltd.
2139 E. Del Amo Blvd.
P.O. Box 6010
Compton, Calif. 90224

AP-307

Price \$280
Dimensions 6 3/10H x 17 3/5W x 14D
Weight 19 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±2.5%
Motor type Quartz lock
Drive type Direct; quartz lock; fully automatic
Rumble -70 dB (DIN B)
Wow/flutter 0.035% (DIN)

AP-D40

Price \$169.95
Dimensions 5 1/2H x 17 3/10W x 5 9/10D
Weight 12 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±5%
Motor type DC servo
Drive type Direct
Wow/flutter 0.047% (DIN); 0.033% (JIS)

Cueing Yes
Antiskating Yes

Models also available

AP-Q60, \$219.95; AP-207, \$200;
 AP-Q50, \$189.95; AP-D30, \$150;
 AP-B10C, \$100; AP-B20, \$99.95

AUDIOLOGIC

Randix Industries Ltd.
991 Broadway
Albany, N.Y. 12204

LX-500

Price \$89.95
Dimensions 6 1/2H x 17W x 14D
Weight 11 lbs. 8 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45; 78 rpm
Motor type 4-pole synchronous
Drive type Idler rim drive
Cueing Yes
Track. force 2 to 5 grams
Antiskating Adjustable
Headshell Fixed

AUDIONICS

Audionics of Oregon
Suite 200, Computran Bldg.
5150 S.W. Griffith Drive
Beaverton, Ore. 97005

LK-1



Price \$697
Type Manual
Speeds 33 1/3; 45
Speed adj. ±10%
Motor type DC brushless Hall-Effect
Rumble -70 dB
Wow/flutter 0.05%
Features Base, platter and acoustic canopy all made from Resanon, a non-resonant urethane that is antistatic; comes without tonearm

BANG & OLUFSEN

Bang & Olufsen of America, Inc.
515 Busse Road
Elk Grove Village, Ill. 60007

Beogram 4004

Price \$895
Dimensions 4H x 19W x 14 1/4D
Weight 24 lbs. 3 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type Tach DC for platter; separate DC servo for tonearm
Drive type Belt
Rumble -65 dB dB (DIN B)
Wow/flutter 0.025% (WRMS)

Cueing Yes
Track. force 0 to 2 grams
Cable capac. 150 pF
Antiskating Not applicable; tangential tracking
Resonance 13 Hz (with MMC-20EN cartridge)
Track. error 0.04 degree
Headshell None
Features Price includes MMC-20EN cartridge, base, and dust cover; opto-electronically controlled tangentially-tracking tonearm; pendulum/leaf-spring suspension

Beogram 1700



Price \$395
Dimensions 3 1/2H x 17 1/4W x 13D
Weight 3 lbs. 13 oz. (net)
Type Fully automatic
Speeds 33; 45
Speed adj. ±3%
Motor type Servo-controlled DC
Drive type Belt
Rumble -62 dB (DIN)
Wow/flutter +0.045%
Track. force 1 to 1.5 gram
Cable capac. 120 pF
Antiskating Yes
Track. error 0.126 degree/cm
Features Includes MMC-20EN cartridge

Models also available

Beogram 3400, \$495; Beogram 1600, \$325

B.I.C.

B.I.C./Avnet
South Service Road
Westbury, N.Y. 11590

80Z

Price \$239.95
Dimensions 6 3/4H x 18 3/4W x 15 1/4D
Weight 21 lbs. (net)
Type Changer
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type 24-pole synchronous AC servo
Drive type Belt
Rumble -70 dB (DIN B)
Wow/flutter 0.05% (WRMS)
Eff. arm mass 12 grams
Cueing Yes
Track. force 0 to 3 grams
Cable capac. 125 pF
Antiskating 0 to 3 grams
Resonance 12 Hz (with Shure M-91ED cartridge)
Track. error 0.27 degree
Headshell Removable
Cart. mass 0 to 9 grams
Features Digital drive system with readout; integrated removable headshell/tonearm; jeweled tonearm bearings

Micro 350

Price \$129.95
Dimensions 6 1/2H x 16W x 14D
Weight 13 lbs. (net)
Type Changer
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type 24-pole, 300-rpm synchronous
Drive type Belt



Rumble -64 dB (DIN B)
Wow/flutter 0.08% (DIN)
Eff. arm mass 8 grams
Cueing Yes
Track. force 0 to 4 grams
Cable capac. 125 pF
Antiskating Yes
Resonance 14 Hz (with M-84 cartridge)
Headshell Fixed
Cart. mass 0 to 9 grams
Features Micro mass tonearm system; machined strobe turntable with variable speed

Models also available

60Z, \$179.95; 40Z, \$149.95; Micro 250, \$109.95; Micro 150X, \$99.95


BSR
BSR (USA), Ltd.
Route 303
Blauvelt, N.Y. 10913

XR-50

Price \$200
Dimensions 17 13/16H x 14 1/2W x 6 3/4D
Weight 14 lbs. (net)
Type Changer
Speeds 33 1/3; 45
Motor type AC synchronous
Drive type Belt
Rumble -66 dB
Wow/flutter 0.04%
Cueing Yes
Track. force 2 to 4 grams
Antiskating 0 to 4 grams
Resonance 10 to 12 Hz (with ADC QLM-32 cartridge supplied)
Headshell Fixed
Features Infrared total remote including volume control select records in desired order; Accuglide™ record transport system

PRO SERIES

PRO 300



Price \$299.95
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. Quartz-phase FG DC
Cueing Yes
Features QTX-3 remote control; multi-function digital display

QUANTA SERIES

60MX

Price \$89.95
Type Fully automatic
Speeds 33 1/3; 45
Motor type 4-pole dynamically balanced
Cueing Yes
Features J-type tonearm; comes with ADC QLM 30 Mk. IIIB cartridge

Models also available

PRO 200, \$249.95; 450-SX, \$100; 400, \$100; 70MX, \$109.95; 50MX, \$79.95; 25CX, \$64.95

CALIBRE

CBS Retail Stores
1301 65th St.
Emeryville, Calif. 94608

360

Price \$195
Dimensions 7H x 17 1/4W x 13 1/2D
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±5% (strobe)
Motor type DC servo
Drive type Direct
Rumble -70 dB (DIN B)
Wow/flutter 0.035% (DIN)
Track. force 0 to 3 grams
Track. error 0.2 degree
Features Adjustable antiskate; auto shutoff

Models also available

330, \$145

CONCEPT

CBS Retail Stores
1301 65th St.
Emeryville, Calif. 94608

2QD

Price \$295
Dimensions 5 7/8H x 17 3/4W x 14 1/2D
Weight 24 lbs. 5 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±6% (LED strobe)
Motor type DC servo
Drive type Direct
Rumble -70 (DIN B)
Wow/flutter 0.025% (DIN)
Cueing Yes
Track. force 0 to 3 grams
Antiskating Adjustable
Track. error 0.5 degree
Headshell Proprietary

CONNOISSEUR

Hervic Electronics, Inc.
18750 Oxnard St., #406
Tarzana, Calif. 91356

BD-103/SAU-4

Price \$420
Dimensions 6 1/2H x 18W x 15D
Weight 25 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45; 78

Speed adj. ±5%
Motor type Low voltage (with strobe) DC servo with servo amplifier (6 transistors and 1 zener diode)

Drive type Belt
Rumble -75 dB (DIN)
Wow/flutter 0.055% (DIN)
Eff. arm mass 8 to 12 grams (adjustable)
Cueing Yes
Track. force 0 to 4 grams
Cable capac. 400 pF
Antiskating 0 to 4 grams
Headshell Removable
Features External power supply; all-electric cueing; cue-defeat switch; comes with SAU-4 tonearm

BD-2A

Price \$220
Dimensions 5 1/2H x 18W x 15D
Weight 22 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type 16-pole AC synchronous
Drive type Belt
Rumble -65 dB (DIN)
Wow/flutter 0.065% (DIN)
Eff. arm mass 4 to 6 grams (adjustable)
Cueing Yes
Track. force 25 to 6 grams
Cable capac. 400 pF
Antiskating 0.75 to 3 grams
Headshell Removable
Features Also available with smaller dust cover, \$190

Models also available

BD-102/SAU-4, \$310; BD-103, \$285 (tonearm not included); BD-102/SAU-2, \$265; BD-101, \$200; BD-1 Transport, \$85

MITCHELL A. COTTER
Mitchell A. Cotter Company, Inc.
35 Beechwood Ave.
Mt. Vernon, N.Y. 10553

B-1 Turntable Base



Price \$2,300
Dimensions 7H x 24W x 20D
Weight 125 lbs. (net)
Type Manual
Speeds 33; 45
Speed adj. ±6%
Motor type AC servo
Drive type Direct
Features Laminate dead-plate structure eliminates mechanical and acoustic feedback

DENON

Denon America, Inc.
27 Law Drive
Fairfield, N.J. 07006

DP-80

Price \$860

Dimensions 5 3/5" x 15" (diameter)
Weight 24 lbs. (net)
Type Deck only; no base, cover, or tone-arm
Speeds 33; 45
Speed adj. ±5%
Motor type AC servo quartz
Drive type Direct
Rumble -80 dB (DIN B)
Wow/flutter 0.015% (WRMS)
Features Dual section resonance-cancelling platter

DP-75

Price \$520
Dimensions 5 3/5" x 15"
Weight 22 lbs. (net)
Type Deck only; no base, arm, or dust cover
Speeds 33; 45
Motor type AC servo quartz
Drive type Direct
Rumble -80 dB (DIN B)
Wow/flutter 0.015% (WRMS)
Features Dual section resonance-cancelling platter

DP-30L

Price \$290
Dimensions 4H x 13 4/5W x 15 9/10D
Weight 19 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type AC servo-controlled
Drive type Direct
Rumble -75 dB (weighted per DIN-B standard)
Wow/flutter <0.018% (weighted per Denon standard; magnetic pulse wheel)
Cueing Yes
Track. force 0 to 3 grams
Cable capac. 75 pF
Antiskating 0 to 3 grams
Resonance 9 Hz (with Denon DL-103 cartridge)
Track. error Within 30 degrees (for effective length of 8 3/5")
Headshell Removable
Cart. mass 5 to 10 grams
Features Arm lifter servo-controlled; noncontact record end sensor; "large specific mass" base utilized; front panel controls outside of dust cover

Models also available

DP-60L, \$585; DP-40F, \$535; DP-1200, \$375; DP-1250, \$340

DUAL

United Audio Products
 120 S. Columbus Ave.
 Mt. Vernon, N.Y. 10553

650RC

Price \$419.95
Dimensions 16 1/2H x 14 1/2W x 5 1/5D
Weight 20 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±10% (strobe)
Motor type CMOS DC electronic
Drive type Direct
Rumble -75 dB (DIN B)
Wow/flutter 0.03% (WRMS)
Eff. arm mass 5.5 grams
Cueing Yes
Track. force 0.25 to 3 grams
Antiskating 0 to 3 grams
Resonance 7.8 Hz (with Ortofon ULM-55E cartridge)

Track. error 0.16 degree
Headshell Removable
Features Low-mass tonearm (8 grams with ULM-55E); tunable antiresonator counterweight; optional remote control

1264

Price \$279.95
Dimensions 16 1/2H x 14 1/2W x 7 1/4D
Weight 18 lbs. (net)
Type Changer
Speeds 33 1/3; 45
Speed adj. ±6% (strobe)
Motor type High-torque synchronous
Drive type Belt
Rumble -70 dB (DIN B)
Wow/flutter 0.04% (WRMS)
Eff. arm mass 5.5 grams
Cueing Yes
Track. force 0.25 to 3 grams
Antiskating 0 to 3 grams
Resonance 7.8 Hz (with Ortofon ULM-55E cartridge)
Track. error 0.16 degree/cm
Headshell Removable
Features Low-mass tonearm (8 grams with ULM-55E); tunable antiresonator counterweight

1257

Price \$189.95
Dimensions 16 1/2H x 14 1/2W x 7 1/4D
Weight 17 lbs. (net)
Type Changer
Speeds 33 1/3; 45
Speed adj. ±6% (strobe)
Motor type High-torque synchronous
Drive type Belt
Rumble -68 dB (DIN B)
Wow/flutter 0.05% (WRMS)
Eff. arm mass 5.5 grams
Cueing Yes
Track. force 0.25 to 3 grams
Antiskating 0 to 3 grams
Resonance 7.8 Hz (with Ortofon ULM-50E cartridge)
Track. error 0.16 degree/cm
Headshell Removable
Features Low-mass tonearm (8 grams with ULM-50E cartridge)


Models also available

7310, \$579.95; 7140, \$499.95; 622, \$329.95; 606, \$299.95; 522, \$235; 506, \$199.95

FISHER

Fisher Corp.
 21314 Lassen St.
 Chatsworth, Calif. 91311

MT-6360



Price \$349.95
Dimensions 6H x 17 1/3W x 14 1/2D
Weight 18 lbs. 6 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±6%
Motor type 120-pole linear AC servo
Drive type Direct
Rumble -70 dB (DIN B-weighted)
Wow/flutter 0.035% (WRMS-weighted)
Eff. arm mass 18 grams
Cueing Yes
Track. force 2 grams

Antiskating Yes
Resonance 8 Hz (with MG-100S cartridge)
Track. error ±1.5 degree
Headshell Fixed
Features Fully wireless remote control and track selection ability; front-panel operation

MT-6330

Price \$189.95 (\$219.95 with cartridge)
Dimensions 6H x 17 1/3W x 14 1/2D
Weight 17 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3% (strobe)
Motor type 120-pole linear motor
Drive type Direct
Rumble -70 dB (DIN B)
Wow/flutter 0.035% (WRMS)
Cueing Yes
Track. force 0.6 to 3.5 grams
Antiskating 0.6 to 3.5 grams
Resonance 10 Hz (with Audio-Technica M6-35V cartridge)
Track. error ±1.8 degree
Headshell Removable
Features Front-panel controls; built-in strobe

Models also available

MT-6455, \$279.95; MT-6435, \$249.95; MT-6335, \$249.95 (\$279.95 with cartridge); MT-6430, \$189.95; MT-6117, \$119.95; MT-6320, \$169.95 (\$199.95 with cartridge); MT-6310, \$119.95 (\$149.95 with cartridge)

GARRARD

Garrard U.S.A., Inc.
 85 Sherwood Ave.
 Farmingdale, N.Y. 11735

DDQ-650



Price \$265
Dimensions 6 1/8H x 17 3/4W x 14 3/4D
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type Brushless, slotless
Drive type Direct
Rumble -72 dB (DIN B-weighted)
Wow/flutter 0.03% (WRMS-weighted)
Eff. arm mass 9.5 grams
Cueing Yes
Track. force 0.75 to 3 grams
Antiskating Yes
Track. error 0.38 degree per 1 in.
Headshell Removable; proprietary
Cart. mass 2.5 to 8 grams
Features Electronic front controls; quartz-locked; Delglide® auto mechanism; antiresonance base; available with Pickering XV15-625E cartridge for \$334; 3-year warranty

GT-355 AP

Price \$219.95
Dimensions 5 3/8H x 17 3/4W x 14 3/4D
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type DC servo
Drive type Belt
Rumble -68 dB (DIN B-weighted)

Wow/flutter 0.06% (WRMS-weighted)
Eff. arm mass 9.5 grams
Cueing Yes
Track. force 0.75 to 3 grams
Antiskating Yes
Track. error 0.38 degree per 1"
Headshell Removable; proprietary
Cart. mass 4 to 9 grams
Features Front controls; self-aligning headshell; Delglide[®] auto mechanism; 3-year warranty; available with Pickering XU15-625E cartridge for \$288.95

DD-450

Price \$209.95
Dimensions 6 1/8" H x 17 3/4" W x 14 3/4" D
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type Brushless, slotless
Drive type Direct
Rumble -73 dB (DIN B-weighted)
Wow/flutter 0.035% (WRMS-weighted)
Eff. arm mass 9.5 grams
Cueing Yes
Track. force 0.75 to 3 grams
Antiskating Yes
Track. error 0.38 degree per 1"
Headshell Removable; proprietary
Cart. mass 4 to 9 grams
Features Front controls; self-aligning headshell; Delglide[®] auto mechanism; 3-year warranty; available with Pickering XV15-625E cartridge for \$278.95

GT-120 AP

Price \$99.95
Dimensions 6 3/8" H x 16 1/2" W x 13 1/2" D
Type Fully automatic
Speeds 33 1/3; 45
Motor type 4-pole induction
Drive type Belt
Rumble -59 dB (DIN B-weighted)
Wow/flutter 0.10% (WRMS)
Eff. arm mass 7 grams
Cueing Yes
Track. force 2 to 6 grams
Antiskating Yes
Headshell Removable; proprietary
Cart. mass 4 to 8 grams
Features Low-mass arm; detachable headshell; Delglide[®] auto mechanism; 3-year warranty; available with Pickering UF15-ATE4 cartridge for \$134.90

Models also available

DDQ-550, \$239.95; DD-455, \$219.95; GT-355, \$239.95; 255, \$209.95; GT-255 AP, \$189.95; GT-12 Mk. II, \$109.95

HARMAN KARDON

Harman Kardon, Inc.
 55 Ames Court
 Plainview, N.Y. 11803

ST-8

Price \$399
Dimensions 6 3/4" H x 16 1/2" W x 16 1/4" D
Weight 23 lbs.
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±5.5%
Motor type Brushless DC Pabst (Hall-Effect)
Drive type Belt
Rumble -68 dB (DIN B-weighted)
Wow/flutter 0.04% (NAB-weighted)
Eff. arm mass 6 grams
Cueing Yes
Track. force 0.25 to 2.5 grams
Antiskating None
Resonance 11 Hz (with Ortofon LM20, LM-30 cartridges)

Track. error 0 degree
Headshell Removable
Features Straight-line tracking; touch and pitch controls; built-in level; adjustable feet; bubble level; strobe; automatic liftoff; Rolamite pivot bearings; skating force; stylus overhang

Models also available

ST-5, \$299

HITACHI

Hitachi Sales Corp. of America
 406 W. Artesia Blvd.
 Compton, Calif. 90220

HT-860

Price \$699.95
Dimensions 6H x 19W x 16 1/4D
Weight 30 lbs. 13 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±9.9%
Motor type Brushless, slotless, coreless, DC servo unitorque
Drive type Direct
Rumble -78 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)
Cueing Yes
Track. force 0 to 3 grams
Track. error 2 degrees
Headshell Removable
Cart. mass 4 to 10 grams
Features Fully automatic quartz-locked unitorque DD turntable with variable pitch control; digital display; optical record-size/arm return sensing and front-panel soft-touch IC-logic controls

HT-466

Price \$239.95
Dimensions 5 1/32H x 17 1/8W x 14 3/4D
Weight 13 lbs. 3 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Motor type Brushless, slotless, coreless unitorque motor
Drive type Direct
Rumble -78 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)
Track. force 0 to 3 grams
Track. error 2 degrees
Headshell Removable
Cart. mass 4 to 10 grams
Features Quartz; photo sensor

HT-464



Price \$199.95
Dimensions 5H x 17 1/8W x 14 3/4D
Weight 12 lbs. 2 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±3% (33 1/3); ±5% (45)
Motor type Brushless, slotless, coreless unitorque motor
Drive type Direct
Rumble -77 dB (DIN B-weighted)
Wow/flutter 0.03% (WRMS)
Track. force 0 to 3 grams
Track. error 2 degrees
Cart. mass 4 to 10 grams
Features Photo sensor


Models also available

HT-660, \$349.95; HT-561, \$349.95; HT-41S, \$169.95; HT-40S, \$139.95; HT-324, \$109.95

JBE

British Audio Corp.
 229 Newtown Road
 Plainview, N.Y. 11803

Series 3



Price \$795
Dimensions 6 1/2" H x 17" W x 13" D
Weight 32 lbs. (net)
Type Manual
Speeds 33; 45
Speed adj. ±5%
Motor type 24-slot 8-pole stator electronic
Drive type Direct
Rumble -73 dB
Wow/flutter 0.07%
Features Heavy slate base for mass stability and mass damping; nonresonant platter; audibly superior sound

JVC

JVC America Co.
 58-75 Queens Midtown
 Expressway
 Maspeth, N.Y. 11378

QL-Y5F

Price \$430
Dimensions 6 5/8" H x 18 1/8" W x 17 3/16" D
Weight 23 lbs. 1 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Motor type Coreless DC servomotor
Drive type Direct
Wow/flutter 0.025% (WRMS)
Cueing Yes
Track. force 0 to 3 grams
Antiskating Yes
Track. error 1 degree, 48 min
Headshell Universal
Features Electro-dynamic servo tonearm; electronic Q-damping, tracking force, and antiskate control

QL-50

Price \$250
Dimensions 6 1/2" H x 19" W x 15 7/8" D
Type Manual (without arm)
Speeds 33 1/3; 45
Motor type DC servo quartz-lock
Drive type Direct
Rumble -78 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)

L-A55

Price \$150
Dimensions 5 1/8" H x 17 1/4" W x 14 15/16" D
Weight 12 lbs. 1 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type Coreless, DC servo
Drive type Direct
Rumble -75 dB (DIN B-weighted)
Wow/flutter 0.03% (WRMS)

Cueing Yes
Track. force 0 to 3 grams
Track. error +4 degrees; -0 degree, 36 min
Headshell Removable

Models also available

QL-F6, \$400; QL-Y3F, \$360; QL-A5, \$220; L-F66, \$180; L-All, \$110

KENWOOD

Kenwood Electronics
75 Seaview Drive
Secaucus, N.J. 07094

L-07D

Price \$1,700
Dimensions 6 5/16H x 21 1/2W x 18 1/2D
Weight 68 lbs. 13 oz. (net)
Type Manual
Speeds 33 1/3; 45
Motor type Quartz PLL coreless, slotless DC
Drive type Direct
Rumble -94 dB (DIN)
Wow/flutter 0.02% (WRMS)
Cueing Yes
Track. force 1 to 9 grams
Antiskating Yes
Track. error -1 degree, 11 min
Headshell Removable; universal

KD-5100

Price \$349
Dimensions 5 9/16H x 18 1/2W x 16D
Weight 19 lbs. 12 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Motor type Quartz PLL DC servo
Drive type Direct
Rumble -75 dB
Wow/flutter 0.03% (WRMS)
Cueing Yes
Track. force 0 to 3 grams
Antiskating Yes
Track. error +3 degrees
Headshell Removable

KD-3100



Price \$199
Dimensions 5 1/2H x 17 5/16W x 14 3/4D
Weight 15 lbs. 9 oz. (net)
Type Semiautomatic
Speeds 33; 45
Speed adj. ±3%
Motor type FG servo
Drive type Direct
Rumble -71 dB
Wow/flutter 0.03% (DIN)
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 3 grams
Track. error 1.5 degree
Headshell Removable
Features Uses antiresonance base

Models also available

KD-850, \$595; KD-650, \$400; KD-600, \$350 (tonearm not included); KD-4100, \$259; KD-2100, \$185; KD-1600, \$135

KM

KM Laboratories
342 Madison Ave.
New York, N.Y. 10173

Audio Linear

Price \$349
Dimensions 17 1/2H x 14 1/2W x 6D
Weight 20 lbs. (net)
Type Manual
Speeds 33 1/3; 45
Motor type Synchronous
Drive type Belt
Rumble -70 dB (DIN)
Wow/flutter 0.06% (DIN)
Cueing Yes
Track. force 0.25 to 2.5 grams
Cable capac. 75 pF
Antiskating Yes
Resonance 8.3 Hz (with Koetsu cartridge)
Track. error 3/4 degree at 4" radius
Headshell Removable; proprietary; universal
Features Combines aesthetics and engineering; SME arm optional

LINN PRODUCTS, LTD.
Audiophile Systems
5750 Rymark Court
Indianapolis, Ind. 46250

Linn-Sondek LP-12



Price \$960
Dimensions 5 1/2H x 17 1/2W x 14D
Weight 25 lbs. (net)
Type Manual
Speeds 33 1/3 (45 adapter available)
Speed adj. None
Motor type 24-pole synchronous
Drive type Belt
Rumble -60 dB (unweighted)
Wow/flutter 0.04% (WRMS)
Features Single-point oil-bath bearing; sold without tonearm

LUX

Lux Audio
160 Dupont St.
Plainview, N.Y. 11803

PD-555

Price \$2,895
Dimensions 6 1/2H x 26 1/2W x 15 7/16D
Weight 73 lbs. 11 oz. (net)
Type No arm
Speeds 33 1/3; 45; 78
Speed adj. ±2.5%
Motor type Brushless, slotless DC servo
Drive type Belt
Wow/flutter 0.03% (WRMS)
Cueing No
Features Exclusive disc stabilizers; 18-lb. plaster; 2 tonearm capability

PD-441

Price \$675
Dimensions 6 1/4H x 18 3/4W x 15 1/2D
Weight 42 lbs. 14 oz.
Type Manual (no arm)
Speeds 33 1/3; 45
Speed adj. None
Motor type Quartz-lock, DC brushless servo, load-free
Drive type Direct
Rumble -75 dB
Wow/flutter 0.025% (WRMS)
Features Sold without tonearm; detachable hinged clear lucite dust cover; lock indicator; double shock-absorbing insulators (height-adjustable)

Models also available

PD-277, \$395

MARANTZ

Marantz, Inc.
20525 Nordhoff St.
Chatsworth, Calif. 91311

6370Q

Price \$470
Dimensions 5 3/4H x 18 5/8W x 15D
Weight 18 lbs. 11 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±6%
Motor type Quartz-locked DC servo
Drive type Direct
Rumble -70 dB (NAB)
Wow/flutter 0.02% (WRMS)
Eff. arm mass 17.5 grams
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 4 grams
Resonance 7.7 Hz (with V15 Type III cartridge)
Track. error 0.07 degree/cm
Headshell Removable
Features Quartz-locked at any speed; digital speed readout of rpm or percentage change from standard speed; oil-damped arm; low-distortion tonearm; separate motor for armlift and return; dust cover and base; shock-absorbent feet

TT-2000



Price \$200
Dimensions 5 1/2H x 17 3/8W x 15D
Weight 16 lbs. 8 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±4%
Motor type Coreless 8-pole DC servo
Drive type Direct
Rumble -72 dB (DIN B-weighted)
Wow/flutter 0.03% (WRMS)
Eff. arm mass 12 grams
Cueing Yes
Track. force 0 to 4 grams
Antiskating 0 to 4 grams
Resonance 10 Hz (with Shure V15 Type IV cartridge)
Track. error 0.22 degree/cm
Headshell Removable

Features Low-distortion straight-line tone-arm; front-panel controls; dust cover and base; shock-absorbent feet

Models also available

TT6000, \$310; TT-4000, \$250; 6025, \$130

MCS® SERIES

J.C. Penney

1301 Ave. of the Americas
New York, N.Y. 10019

6700



Price \$230
Dimensions 6 15/16H x 17 3/4W x 14 1/2D
Weight 21 lbs. (net)
Type Changer
Speeds 33 1/3; 45
Speed adj. ±6%
Motor type DC servo
Drive type Direct
Rumble -70 dB (DIN B-weighted)
Wow/flutter 0.04% (JIS)
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 3 grams
Track. error 3.5 degrees
Headshell Removable
Features Hinged dust cover; 45 rpm adapter; Audio-Technica cartridge

Models also available

6602, \$180; 6502, \$130

MICHELL ENGINEERING

Dick Wagner (distributor)

5930 Penfield Ave.

Woodland Hills, Calif. 91367

Prisma

Price \$950
Dimensions 9H x 21W x 15D
Weight 27 lbs. (net)
Type Manual
Speeds 33 1/3; 45
Speed adj. ±10%
Motor type Pancake-type DC brushless servo
Drive type Belt
Rumble -51 dB (DIN B-weighted); -80 dB (unweighted)
Wow/flutter 0.02% (DIN B-weighted)
Eff. arm mass 5 grams
Cueing Yes
Track. force 0.2 to 6 grams
Cable capac. 165 pF
Antiskating Yes
Resonance 8 Hz (with Koetsu cartridge)
Track. error 1.2 degree
Headshell Removable
Cart. mass 2 to 14 grams
Features 0.7" thick clear lucite base; 6:1 strobe; record floats on platter weights (no static); virtually total speed-variation adjustability from 33

through 45; available without arm at \$750; entire drive unit replaceable in 30 seconds

Models also available

Hydraulic Reference, \$750; Focus One, \$650

MICRO SEIKI

P.O. Box 60271

Terminal Annex

Los Angeles, Calif. 90060

RX-5000

Price \$3,500
Weight 135 lbs. (net)
Speeds 33 1/3; 45
Speed adj. ±6%
Drive type Belt
Rumble -80 dB
Wow/flutter 0.015%
Features Copper platter 35 lbs.; oil-bath bearings; solid zinc frame; remote electronics; digital speed readout

DQX-1000

Price \$900
Dimensions 5H x 17 1/2W x 17 1/2D
Weight 40 lbs. (net)
Speeds 33 1/3; 45
Speed adj. ±6%
Motor type Quartz-lock PLL
Drive type Direct
Rumble -75 dB
Wow/flutter 0.02%
Cueing No
Features Capacity for 3 separate tonearms; remote electronics

DQ-3

Price \$500
Dimensions 6 1/4H x 18 3/4W x 15 3/4D
Weight 20 lbs.
Type Manual
Speeds 33 1/3; 45
Motor type DC servo, quartz-locked
Drive type Direct
Rumble -75 dB (DIN B-weighted)
Wow/flutter 0.025%
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 3 grams
Track. error 1.5 degree
Headshell Removable
Features CF-1 carbon-fiber tonearm with variable mass

DD-31

Price \$375
Dimensions 6 1/4H x 18 3/4W x 14 3/4D
Weight 17 lbs.
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±6%
Motor type DC servo
Drive type Direct
Rumble -75 dB (DIN B-weighted)
Wow/flutter 0.03%
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 3 grams
Track. error 1.5 degree
Headshell Removable
Features Low-mass straight tonearm with carbon-fiber headshell

Models also available

RX-3000, \$2,200; BL-91L, \$1,200; BL-91, \$750; DQX-500, \$600; DQ-44, \$450; BL-51, \$450; DD-24, \$275; MB-14, \$190

MITSUBISHI AUDIO SYSTEMS

Melco Sales, Inc.

3030 E. Victoria

Compton, Calif. 90221

LT-30

Price \$690
Dimensions 5 3/4H x 19 1/4W x 16 1/4D
Weight 33 lbs. (net)
Type Fully automatic
Speeds 33; 45
Motor type Quartz PLL DC servo
Drive type Direct
Rumble -78 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)
Eff. arm mass 12 grams
Cueing Yes
Track. force 0 to 3 grams
Antiskating No
Track. error 0.05 degree at any radius
Headshell Removable; universal
Cart. mass 4 to 20 grams
Features Linear tracking; LSI logic control of auto functions; auto disc size and speed sensing

LT-5V

Price \$450
Dimensions 17H x 18 3/4W x 7 7/8D
Weight 27 lbs. 8 oz. (net)
Type Fully automatic
Speeds 33; 45
Speed adj. ±3%
Motor type PLL DC Servo
Drive type Belt
Rumble -76 dB (DIN B-weighted)
Wow/flutter 0.045% (WRMS)
Cueing Yes
Track. force 0 to 3 grams
Antiskating No
Track. error 0.1 degree at any radius
Headshell Removable; universal
Cart. mass 4 to 14 grams
Features Vertical format; linear tracking; LSI logic control of auto functions; auto disc size and speed sensing

Models also available

DP-EC7, \$300; DP-5, \$220

NAD

NAD (USA), Inc.

Mackintosh Lane

P.O. Box 529

Lincoln, Mass. 01773

NAD-5040



Price \$212
Dimensions 6H x 18 1/2W x 15D
Weight 12 lbs. 8 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±6%
Motor type Frequency generator DC servo

Drive type Belt
Rumble -67 dB (DIN B-weighted)
Wow/flutter 0.05% (WRMS)
Cueing Yes
Track. force 0 to 3.5 grams
Antiskating 0 to 3 grams
Track. error 0.2/cm (0.5")
Headshell Removable
Features Aluminum low-resonance arm; carbon-fiber headshell

Models also available

NAD-5080, \$250; NAD-5020, \$177

ONKYO

Onkyo U.S.A. Corp.

42-07 20th Ave.

Long Island, N.Y. 11105

CP-1280F

Price \$449.95
Dimensions 6 $\frac{3}{4}$ "H x 18 $\frac{1}{2}$ "W x 16 1/16"D
Weight 25 lbs. 5 oz. (net)
Type Fully automatic
Speeds 33; 45
Drive type Direct
Wow/flutter 0.025%
Cueing Yes
Antiskating Yes
Headshell ADC type
Cart. mass 4 to 11 grams
Features Micro-computer controlled tonearm; dual motor quartz system

CP-1015A



Price \$159.95
Dimensions 5 $\frac{3}{4}$ "H x 16 $\frac{1}{2}$ "W x 14 $\frac{1}{2}$ "D
Weight 12 lbs. 1 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type Brushless servo DC
Drive type Direct
Wow/flutter 0.035%
Cueing Yes
Antiskating Yes
Headshell ADC type
Cart. mass 5 to 9 grams
Features Straight-line, low-mass tonearm; tracking-force readout

Models also available

CP-1030F, \$314.95; CP-1020 F, \$219.95; CP-1010A, \$144.95; CP-1260F, N/A

OPTONICA

Sharp Electronics Corp.

10 Keystone Place

Paramus, N.J. 07652

RP-9705

Price \$950
Dimensions 5 3/10"H x 18 9/10"W x 17 3/10"D
Weight 24 lbs. 5 oz. (net)
Type Fully automatic
Speeds 33; 45
Speed adj. \pm 4%



Motor type Coreless DC quartz locked
Drive type Direct
Rumble -70 dB (DIN B-weighted)
Wow/flutter 0.028% (WRMS)
Cueing Yes
Track. force 1 to 4 grams
Cable capac. 150 pF
Antiskating Yes
Headshell Removable
Cart. mass 4 to 11 grams
Features APMS (Automatic Programmable Music Selector); infrared remote; glass dust cover; dual arm system

Models also available

RP-7705, \$320; RP-4705, \$220

PHASE LINEAR

Phase Linear Corp.

20121 48th Ave. W.

Lynnwood, Wash. 98036

8000 Series Two



Price \$750
Dimensions 6H x 19 2/5W x 17 $\frac{1}{2}$ D
Weight 26 lbs. 8 oz. (net)
Type Fully automatic, auto repeat, manual
Speeds 33 1/3; 45
Motor type DC (totally enclosed)
Drive type Direct quartz-locked PLL Hall-effect
Rumble -78 dB (DIN B)
Wow/flutter 0.013%
Cueing Yes
Track. force 0 to 5 grams
Track. error 0 degree
Headshell Removable
Features Linear motor; tangential tracking tonearm; speed deviation less than 0.002%; all controls accessible with dust cover closed

PHILIPS

Philips High Fidelity

Laboratories

Interstate 40 & Straw Plains

Pike

P.O. Box 6960

Knoxville, Tenn. 37914

AF-977

Price \$379.95
Dimensions 5 $\frac{1}{2}$ "H x 16 $\frac{1}{2}$ "W x 13 $\frac{3}{4}$ "D
Weight 13 lbs. 3 oz. (net)

Type Fully automatic
Speeds 33 1/3; 45
Speed adj. \pm 3%
Motor type DC controlled, PLL quartz
Drive type Belt (direct control with tachometer)

Rumble -73 dB (DIN B)
Wow/flutter .025% (WRMS)
Eff. arm mass 16.5 grams
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 3 grams
Resonance 10 Hz (with test cartridge)
Track. error 9 degrees/cm
Headshell Removable
Features Digital readout; floating subchassis; built-in stylus force gauge; touch controls

AF-729

Price \$199.95
Dimensions 15 $\frac{1}{2}$ "H x 16 $\frac{1}{2}$ "W x 13 $\frac{3}{4}$ "D
Weight 13 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. \pm 3%
Motor type DC with closed-loop speed control
Drive type Belt
Rumble -65 dB (DIN B-weighted)
Wow/flutter 0.05% (WRMS)
Eff. arm mass 16.5 grams
Cueing Yes
Track. force 0 to 3 grams
Antiskating Yes
Resonance 10 Hz (with test cartridge)
Track. error 0 degree, 9 cm/min
Headshell Removable
Features Front-mounted controls; LED speed indication; pitch controls, direct-read stylus-force gauge

Models also available

AF-829, \$279.95; AF-887, \$239.95; AF-777, \$184.95; 677, \$169.95; 685, \$119.95

PIONEER

U.S. Pioneer Electronics Corp.

85 Oxford Drive

Moonachie, N.J. 07074

PL-630

Price \$449
Dimensions 5 $\frac{3}{4}$ "H x 18 $\frac{1}{2}$ "W x 16 $\frac{1}{2}$ "D
Weight 26 lbs. 8 oz. (net)
Type Automatic repeat
Speeds 33 1/3; 45
Speed adj. \pm 6%
Motor type Quartz PLL Hall-Effect
Drive type Direct
Rumble 75 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)
Track. force 0 to 4 grams
Antiskating Yes
Features Anti-feedback cabinet and coaxial suspension; static-balanced S-shaped tonearm with 4-point gimbal support; magnesium die-cast headshell; quick stop, quick play; LED function indicators

PL-600

Price \$399
Dimensions 5 $\frac{1}{2}$ "H x 17 15/16W x 15 $\frac{1}{4}$ "D
Weight 24 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type Quartz PLL Hall-effect
Drive type Direct
Wow/flutter 0.025%
Antiskating Yes
Cart. mass 4 to 9 grams
Features Separate motor for automatic functions; S-shape pipe arm; front-panel controls; S/N ratio: 78 dB

PL-500



Price \$299
Dimensions 5½H x 17 15/16W x 15 3/16D
Weight 20 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type Quartz PLL Hall-Effect
Drive type Direct
Wow/flutter 0.025%
Antiskating Yes
Cart. mass 4 to 10 grams
Features S-shape pipe arm; coaxial suspension; S/N ratio: 75 dB

PL-100

Price \$119
Dimensions 3¾H x 16 9/16W x 14¾D
Weight 11 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type DC/FG servo
Drive type Direct
Wow/flutter 0.045%
Antiskating Yes
Cart. mass 4 to 9 grams
Features S-shape pipe arm; oil-damped cue mechanism; S/N ratio: 70 dB

REALISTIC

Radio Shack Corp.
1400 One Tandy Center
Ft. Worth, Texas 76102

LAB-420

Price \$219.95
Dimensions 5¾H x 17 11/16W x 13 13/32D
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±4%
Motor type 20-pole brushless DC servomotor
Drive type Direct
Rumble -63 dB (DIN B-weighted)
Wow/flutter 0.03% (WRMS)
Cueing Yes
Track. force ¾ to 1½ grams
Antiskating Yes
Headshell Universal
Features Programmable repeat; comes with cartridge; adjustable speed fine tuning with strobe

LAB-220

Price \$139.95
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type 24-pole motor; 300 rpm
Drive type Belt
Rumble -65 dB (DIN B-weighted)
Wow/flutter 0.06% (WRMS)
Cueing Yes
Track. force 1½ to 3 grams
Antiskating Yes
Features Strobe light; solid-state speed control; comes with cartridge

Models also available

LAB-390, \$169.95; LAB-270, \$139.95; Lab 58, \$99.95; LAB-120, \$89.95

REFERENCE

CBS Retail Stores
1301 65th St.
Emeryville, Calif. 94608

620T

Price \$249.95
Dimensions 6 1/10H x 18W x 13 1/5D
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3% (strobe)
Motor type 2-pole, DC servo
Drive type Direct
Rumble -70 dB (DIN B-weighted)
Cueing No
Track. force 0 to 3 grams
Features Adjustable antiskate; automatic shutoff

Models also available

510T, \$139.95

REGA

Import Audio
13430 Clayton Rd.
St. Louis, Mo. 63131

Planar 3

Price \$530 (with arm); \$395 (without arm)
Dimensions 4¾H x 17 9/16W x 13 15/16D
Weight 15 lbs. 5 oz. (net)
Type Manual
Speeds 33 1/3; 45
Motor type 24-pole synchronous
Drive type Belt
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 3 grams
Track. error 1.5 degree
Headshell Removable
Features Precision-ground glass platter; includes base, dust cover, and felt mat for records

Models also available

Planar 2, \$410 (with arm); \$295 (without arm)

REVOX

Studer ReVox America, Inc.
1425 Elm Hill Pike
Nashville, Tenn. 37210

B-790



Price \$899 (with cartridge)
Dimensions 5¾H x 17¾W x 15D
Weight 24 lbs. 4 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±7%
Motor type Quartz-controlled PLL servo
Drive type Direct
Rumble -68 dB (DIN)

Wow/flutter 0.05%
Eff. arm mass 1 gram
Cueing Yes
Track. force 0.8 to 2 grams
Antiskating Not required
Resonance 12 to 15 Hz (with Ortofon cartridge)
Track. error 0.5 degree
Headshell No headshell used due to true tangential-tracking design
Features True tangential tracking with optoelectronic servo control; radical 4-cm tonearm has negligible mass; digital speed display

Models also available

B-795, \$599

ROTEL

Rotel of America, Inc.
1055 Saw Mill River Road
Ardsley, N.Y. 10502

RP-1010



Price \$320
Dimensions 5H x 17½W x 14D
Weight 17 lbs. 8 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Motor type Quartz-lock PLL
Drive type Direct
Rumble -72 dB (DIN B-weighted)
Wow/flutter 0.025%
Eff. arm mass 7 grams
Cueing Yes
Track. force 0.70 to 3 grams
Antiskating Yes
Track. error 2.2 degrees at 1" radius
Headshell Removable
Features Two motors; front panel control; carbon-fiber straight arm; glass-fiber headshell; strobe; rosewood finish

Models also available

RP-1001, \$210; RP-550, \$170

SANSUI

Sansui Electronics Corp.
1250 Valley Brook Ave.
Lyndhurst, N.J. 07071

XR-Q11


Price \$650
Dimensions 5¾H x 19W x 16 9/16D
Weight 27 lbs. 8 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Motor type 20-pole/30-slot DC brushless quartz servo-controlled
Drive type Direct
Rumble -78 dB (DIN B-weighted)
Wow/flutter 0.015% (WRMS)
Cueing Yes
Track. force 0.5 gram
Antiskating Yes
Headshell Fixed; proprietary
Cart. mass 4 to 10 grams
Features Computerized track sequence selection; Dyna-optimum balanced tonearm; double suspension base

FR-D4

Price \$240
Dimensions 5¼H x 17 5/16W x 5 15/16D
Weight 13 lbs. 14 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type 20-pole, 30-slot, high-torque saturable-core DC brushless servomotor

Drive type Direct
Rumble -72 dB
Wow/flutter 0.028% (WRMS)
Eff. arm mass 4 to 10 grams
Cueing Yes
Track. force +0.5 gram
Antiskating Yes
Headshell Removable
Features CPU computer-controlled; DOB tonearm; front controls; strobe; dust cover; gold-plated connectors; direct-readout

P-50



Price \$140
Type Semiautomatic
Speeds 33 1/3; 45
Drive type Best
Rumble -60 dB (DIN B-weighted)
Wow/flutter 0.06% (WRMS)
Cueing Yes
Features S-shaped tonearm with 2-point gimbal support; aluminum die-cast platter; dust cover

Models also available

XR-Q9, \$500; FR-Q5, \$340; FR-D3, \$190

SANYO

Sanyo Electric Inc.
Consumer Electronics Div.
1200 W. Artesia Blvd.
Compton, Calif. 90220

TP-1030

Price \$199.95
Dimensions 6½H x 18¾W x 15D
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. Pitch control (with strobe)
Motor type Brushless platter motor; DC tonearm motor

Drive type Direct
Rumble -70 dB
Wow/flutter 0.03%
Cueing Viscous-damped
Track. force 0 to 3 grams
Antiskating Adjustable; calibrated
Track. error ±15 degrees
Headshell Removable
Features Electronic speed control; lateral counterbalance; stylus mirror

PLUS SERIES

Plus Q-50

Price \$359.95
Dimensions 6H x 17¾W x 14½D
Type Fully automatic
Speeds 33 1/3; 45



Speed adj. Pitch control
Motor type 20-pole, 30-slot brushless platter motor; DC tonearm motor

Drive type Direct
Rumble -73 dB
Wow/flutter 0.025%
Eff. arm mass 15.4 grams
Cueing Yes
Track. force 0 to 3 grams
Antiskating Adjustable; calibrated
Track. error ±1.5 degree
Headshell Removable
Features High-density platter; high-torque motor; carbon-fiber headshell; disc-size selector; cue control; suspension/isolation system

Models also available

TP-1012/A, \$159.95; TP-1010, \$139.95; TP-1005/A, \$109.95; Plus Q-60, \$619.95; Plus Q-40, \$249.95; Plus Q-25, \$209.95

H. H. SCOTT

H. H. Scott, Inc.
20 Commerce Way
Woburn, Mass. 01801

PS-97XV

Price \$260
Dimensions 5½H x 17¼W x 13¾D
Weight 21 lbs. (net)
Type Automatic repeat
Speeds 33 1/3; 45
Speed adj. ±3%; quartz-lock
Motor type 72-pole FG AC servomotor
Drive type Direct
Wow/flutter 0.03% (WRMS)
Eff. arm mass 15.6 grams
Cueing Yes
Track. force 1 to 3 grams
Antiskating 0 to 3 grams
Resonance 8.5 Hz
Headshell Removable
Features Quartz synthesizer speed lock with indicator; strobe light with adjustable speed control; record-size selector and spare headshell holder

PS-18



Price \$129.95
Dimensions 5¼H x 17¼W x 15¼D
Weight 12 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type 4-pole synchronous
Drive type Belt
Rumble -52 dB
Wow/flutter 0.07%
Cueing Yes
Track. force 1.5 to 4 grams

Antiskating Yes
Headshell Removable
Features Straight, low-mass tonearm; low capacitance phono cables; low 'Q' compression base; antiresonance arm counterweight; up-front user controls

Models also available

PS-77XV, \$235; PS-78, \$219.95; PS-87A, \$210; PS-67A, \$200; PS-68, \$179.95; PS-48, \$149.95; PS-47A, \$140

SHERWOOD

Sherwood Electronics Labs
500 E. Carson Plaza Drive
Carson, Calif. 90745

ST-80Z

Price \$149.95
Dimensions 5¼H x 18W x 14½D
Weight 18 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type FG DC servo
Drive type Belt
Wow/flutter 0.06% (JIS WRMS)
Cueing Yes
Track. force 0 to 4 grams
Antiskating Yes
Track. error 4.2 degrees
Headshell Removable
Cart. mass 5 to 8½ grams
Features Speed adjust with straight arm; strobe; cueing in both directions

Models also available

ST-801, \$119.95

SONY

Sony Corp. of America
9 West 57th St.
New York, N.Y. 10019

Audio Lab PS-B80

Price \$1,800
Dimensions 7 15/16H x 19 15/16W x 16 15/16D
Weight 33 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Motor type Sony BSL-Magnedisc servo
Drive type Direct
Rumble -78 dB (DIN B-weighted)
Wow/flutter 0.02% (WRMS)
Eff. arm mass Electronically variable
Cueing Yes
Track. force 0.5 to 3 grams
Cable capac. 45 pF
Antiskating 0.5 to 3 grams
Resonance Electronically optimized
Headshell Removable
Cart. mass 1 to 19 grams
Features Active critical tracking biotracer arm uses vertical and horizontal motors; micro-processor-controlled to automatically critically optimize arm for each cartridge

PS-P7X


Price \$450
Dimensions 4¾H x 17W x 13¾D
Weight 20 lbs. 13 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type Sony BSL Magnedisc servo
Drive type Direct
Rumble -75 dB (DIN B-weighted)

Wow/flutter 0.025% (WRMS)
Cueing Yes
Track. force 0 to 3 grams
Cable capac. 100 pF
Antiskating 0 to 3 grams
Headshell Removable
Features Micro turntable; all controls front-mounted; separate tonearm; electromagnetic braking; quartz lock; SBMC chassis; magnedisc servo

PS-T33

Price \$170
Dimensions 5 $\frac{1}{2}$ "H x 17" x 14 $\frac{1}{2}$ "D
Weight 14 lbs. 2 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. \pm 4%
Motor type Sony BSL Magnedisc servo
Drive type Direct
Rumble -75 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)
Eff. arm mass 8 grams
Cueing Yes
Track. force 0 to 3 grams
Cable capac. 108 pF
Antiskating Yes
Resonance 7 to 12 Hz (with most cartridges)
Track. error 3 degrees
Headshell Proprietary
Cart. mass 2 $\frac{1}{2}$ to 10 grams
Features SBMC cabinet reduces feedback; straight reinforced low-mass arm; automatic mechanism with safety clutch

PS-T22



Price \$150
Dimensions 5 $\frac{1}{2}$ "H x 17" x 14 $\frac{1}{2}$ "D
Weight 13 lbs. 8 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. \pm 4%
Motor type Sony BSL Magnedisc servo
Drive type Direct
Rumble -75 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)
Eff. arm mass 8 grams
Cueing Yes
Track. force 0 to 3 grams
Cable capac. 108 pF
Antiskating Yes
Track. error 3 degrees
Headshell Proprietary
Cart. mass 2 $\frac{1}{2}$ to 10 grams
Features Variable pitch with strobe; tonearm safety clutch; gold-plated headshell contacts; aircraft alloy low-mass tonearm

Models also available

PS-X55, \$270; PS-X45, \$200

STANTON GYROPOISE
Stanton Magnetics, Inc.
200 Terminal Drive
Plainview, N.Y. 11803

800 5A/881S

Price \$500
Dimensions 14 $\frac{1}{4}$ "H x 16 $\frac{3}{4}$ "W x 6"D
Weight 15 lbs. 8 oz. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Motor type 24-pole synchronous, high-torque

Drive type Belt
Rumble -70 (DIN B)
Wow/flutter 0.07% (DIN B)
Cueing Yes
Track. force 0 to 4 grams
Antiskating 0 to 4 grams
Track. error \pm 1.2 degree (max)
Headshell Removable
Features Includes 881S cartridge; Gyro-poise, frictionless, magnetic suspension; unipoise, single point tonearm suspension

8005M/881S

Price \$450
Type Manual
Features Includes 881S cartridge

Models also available

8005A/681EEE, \$440; 8005M/681EEE, \$390; 8005A, \$350; 8005M, \$300

TEAC

Teac Corp. of America
7733 Telegraph Road
Montebello, Calif. 90640

P-9

Price N/A
Dimensions 17 1/3"H x 14 $\frac{1}{2}$ "W x 5 15/16"D
Weight 19 lbs. 12 oz. (net)
Speeds 33 1/3; 45
Motor type PLL quartz lock
Drive type Direct
Rumble -63 dB (DIN)
Wow/flutter 0.045%
Eff. arm mass 1.5 grams
Cueing Yes
Track. force 0 to 4 grams
Antiskating Yes
Headshell Removable

TECHNICS

Panasonic Co.
1 Panasonic Way
Secaucus, N.J. 07094

SP-10 Mk. II

Price \$950
Dimensions 4H x 14 $\frac{1}{2}$ "W x 14 $\frac{1}{2}$ "D
Weight 21 lbs. (net)
Type Manual
Speeds 33 1/3; 45; 78
Speed adj. None
Motor type DC servo, quartz phase-locked
Drive type Direct
Rumble 78 dB (DIN B-weighted)
Wow/flutter 0.025% (WRMS)
Features Sold without tonearm; builds up to full speed in 0.25 sec; stop time (dual braking) is 0.3 sec; remote control; separate power supply; overall speed accuracy of \pm 0.002% (\pm 0.036 sec in $\frac{1}{2}$ hour); high torque (5 kg cm or 4.3 lbs. in)

SP-15

Price \$650
Dimensions 3 21/32"H x 13 $\frac{3}{4}$ "W x 14 41/64"D
Weight 13 lbs. 11 oz. (net)
Type Manual
Speeds 33 1/3; 45; 78
Speed adj. \pm 9.9%
Motor type Brushless DC
Drive type Direct
Rumble -78 dB (DIN B-weighted) (IEC); -56 dB (DIN A-weighted)
Wow/flutter 0.025% (JIS) (WRMS); \pm 0.035% peak (IEC)

Features Digitally displayed quartz synthesizer pitch control in 0.1% steps; high torque; 0.4 sec start/stop time; electronic/mechanical breaking with quick release; pulsed power supply prevents hum induction; rubber-damped platter underside

SL-1200 Mk. 2

Price \$350



Dimensions 6 19/64"H x 17 27/32"W x 14 11/64"D
Weight 24 lbs. 5 oz. (net)
Type Manual
Speeds 33 1/3; 45
Speed adj. \pm 8%
Motor type Brushless DC
Drive type Direct
Rumble -78 dB (DIN B-weighted) (IEC); -56 dB (DIN A-weighted)
Wow/flutter 0.25% (JIS); \pm 0.035% peak (DIN A-weighted)
Eff. arm mass 12 grams
Cueing Yes
Track. force 0 to 2.5 grams
Antiskating 0 to 2.5 grams
Resonance 7 to 11
Track. error +0 degrees, 32 min at inner groove; +2 degrees, 32 min at outer groove

Headshell Removable
Features Continuous, quartz-locked pitch adjustment; rubber base material for acoustic isolation; underside damping mat on platter; high torque for fast starts; pop-up stylus illuminator; designed for disco use; arm-height adjustment

SL-Q3

Price \$220
Dimensions 5 7/64"H x 16 59/64"W x 14 49/64"D
Weight 15 lbs. 11 oz. (net)
Type Automatic repeat
Speeds 33 1/3; 45
Speed adj. \pm 0%
Motor type Brushless DC
Drive type Direct
Rumble -78 dB (DIN B-weighted) (IEC); -56 dB (DIN A-weighted)
Wow/flutter 0.05% (JIS); \pm 0.035 peak (IEC)
Eff. arm mass 12 grams
Cueing Yes
Track. force 0 to 2.5 grams
Antiskating 0 to 2.5 grams
Track. error 0 degree, 32 min at inner groove; 2 degrees, 32 min at outer groove

Headshell Removable
Features Quartz, phase-locked design; front-panel controls; nonresonant base

SL-B3

Price \$150
Dimensions 4 31/32"H x 16 59/64"W x 14 49/64"D
Weight 10 lbs. 2 oz. (net)
Type Automatic repeat
Speeds 33 1/3; 45
Speed adj. \pm 3%
Motor type Servo DC
Drive type Belt
Rumble -70 dB (DIN B-weighted)
Wow/flutter 0.045% rms (JIS); \pm 0.06% peak (IEC)

Eff. arm mass 12 grams
Cueing Yes
Track. force 0 to 3 grams
Antiskating 0 to 3 grams
Track. error 0 degree, 32 min at inner groove; 2 degrees, 32 min at outer groove
Headshell Removable
Features Front-panel controls; electronic speed switching and variation

Models also available

SL-10, \$600; SL-1600 Mk 2, \$420;

SP-25, \$370; SL-1700 Mk 2, \$370; SL-1800 Mk. 2, \$320; SL-D33, \$270; SL-D5, \$230; SL-Q2, \$190; SL-B5, \$190; SL-D3, \$170; SL-D2, \$150; SL-B2, \$130; SL-D1, \$125; SL-B1, \$100

THORENS

Epicure Products, Inc.
25 Hale St.
Newburyport, Mass. 01950

"The Reference"

Price Approx. \$15,000 depending on options
Dimensions 14H x 20W x 14D
Weight 200 lbs. (net)
Type Manual
Speeds 33 1/3; 45; 78
Speed adj. ±6%
Motor type Synchronous
Drive type Belt
Rumble -84 dB (DIN A-weighted) (measured with Thorens RMK adapter)
Wow/flutter 0.02% (DIN)
Features Custom-made to customer specification; can be supplied with many different tonearms

TD-126C Mk. III

Price \$800
Dimensions 6¾H x 19¾W x 15½D
Weight 33 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45; 78
Speed adj. ±6%
Motor type DC servo controlled
Drive type Belt
Rumble -72 dB (DIN)
Wow/flutter 0.035% (DIN)
Eff. arm mass 7.5 grams
Cueing Yes
Track. force 0.5 to 3 grams
Cable capac. 190 pF
Antiskating Magnetic system
Resonance 10 Hz (with Thorens TMC-63 cartridge)
Track. error 0.18 degree/cm radius
Headshell Removable
Cart. mass 3 to 7 grams
Features Automatic Pitch Control (APC) corrects turntable speed with changes on load on turntable; automatic cue-up and shut-off at end of record play

TD-160B Mk. II

Price \$295 (tonearm not included)
Dimensions 6H x 17W x 14 3/16D
Weight 19 lbs. (net)
Type Manual
Speeds 33 1/3; 45
Motor type AC 16-pole synchronous
Drive type Belt
Rumble -70 dB (DIN)
Wow/flutter 0.04% (DIN)
Features Blank tonearm board for custom installation; extra predrilled accessory boards available

Models also available

TD-126B Mk. III, \$645 (tonearm not included); TD-115, \$435; TD-160 Super, \$395 (tonearm not included); TD-110, \$350; TD-105, \$335; TD-104, \$270

TOSHIBA

Toshiba America, Inc.
82 Totowa Road
Wayne, N.J. 07470

SR-Q200

Price \$222.95

Dimensions 4 9/10H x 16 3/5W x 15D
Weight 12 lbs. 1 oz. (net)
Type Fully automatic
Speeds 33; 45
Motor type Slotless, coreless, quartz-locked
Drive type Direct
Rumble -75 dB (DIN B-weighted)
Wow/flutter 0.025%
Cueing Yes
Track. force 0.25 to 3 grams
Cable capac. 100 pF
Antiskating Yes
Track. error ±2 degrees
Headshell Removable; proprietary
Features Straight tonearm; unit automatically sets record speed; acoustic isolation feet

SR-F200

Price \$179.95
Dimensions 4 9/10H x 16 3/5W x 15D
Weight 12 lbs. 1 oz. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type Slotless, coreless DC servo
Drive type Direct
Rumble -73 dB (DIN B-weighted)
Wow/flutter 0.028%
Cueing Yes
Track. force 0.25 to 3 grams
Cable capac. 100 pF
Antiskating Yes
Track. error ±2 degrees
Headshell Removable; proprietary
Features Automatically selects turntable speed; acoustic isolation feet; straight tonearm

Models also available

SR-Q300, \$299.95; SR-Q-100, \$199.95; SR-A200, \$149.95; SR-F100, \$139.95; SR-A100, \$114.95

YAMAHA

Yamaha International Corp.
6600 Orangethorpe Ave.
Buena Park, Calif. 90620

PX-2

Price \$900
Dimensions 66¾H x 19¾W x 16¾D
Weight 37 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Motor type 4-phase, 8-pole coreless DC Hall-Effect
Drive type Direct
Rumble -80 dB (DIN B-weighted)
Wow/flutter 0.01% (WRMS)
Eff. arm mass 16 to 18 grams
Cueing Yes
Track. force 0 to 2.5 grams
Cable capac. 130 pF
Resonance 12 Hz (with Yamaha MC-1S cartridge)
Track. error 0.15 degree
Headshell Universal
Features Linear-tracking straight tonearm

P-450

Price \$180
Dimensions 5¾H x 17¾W x 14¾D
Weight 11 lbs. (net)
Type Fully automatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type FG servo
Drive type Belt
Rumble -70 dB (DIN B-weighted)
Wow/flutter 0.04% (WRMS)
Eff. arm mass 11 grams
Cueing Yes
Track. force 0 to 3 grams
Cable capac. 100 pF

Antiskating Yes
Resonance 12 Hz (with Shure V15 Type III cartridge)
Track. error 1 degree
Headshell Removable
Features Optimum mass straight tonearm; pitch control and strobe

Models also available

P-750, \$260; P-550, \$220; P-350, \$140

ZENITH

Zenith Radio Corp.
1000 Milwaukee Ave.
Glenview, Ill. 60025

MC-9050

Price \$249.95
Dimensions 6H x 19W x 14¾D
Weight 12 lbs. (net)
Type Semiautomatic
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type Brushless, slotless, coreless DC servomotor
Drive type Direct
Rumble -70 dB (DIN)
Wow/flutter 0.03% (DIN)
Cueing Yes
Track. force 0 to 4 grams
Antiskating 0 to 3 grams
Track. error +2 degrees, 30 min; 1 degree, 40 min
Headshell Removable
Features Front-panel controls; low center of gravity tonearm; Shure magnetic cartridge; damped cue; strobe; low resonance construction, removable dust cover

MC-9030

Price \$149.95
Dimensions 7¾H x 16¾W x 14¾D
Type Changer
Speeds 33 1/3; 45
Motor type 4-pole, high-torque induction
Drive type Belt
Rumble -50 dB (DIN)
Wow/flutter 0.20% (DIN)
Cueing Yes
Track. force 0 to 4 grams
Antiskating 0 to 4 grams
Track. error ±3 degrees
Headshell Removable
Features Belt-drive, 4-pole, high-torque induction motor; automatic operation; single and multiple-play capability; Shure magnetic-elliptical diamond stylus cartridge

MC-9035

Price \$139.95
Dimensions 6 2/3H x 16¾W x 15¼D
Type Changer
Speeds 33 1/3; 45
Speed adj. ±3%
Motor type 24-pole synchronous with capacitive phase shift
Drive type Belt
Rumble -60 dB (DIN)
Wow/flutter 0.08% (DIN)
Cueing Yes
Track. force 0 to 4 grams
Antiskating 0 to 4 grams
Track. error ±3 degrees
Headshell Fixed
Features Automatic operation; strobe and pitch control; single and multiple-play record capability; Shure magnetic cartridge

Models also available

MC-9025, \$109.95; MC-9020, \$99.95