

 Nakamichi®



User Manual

BT HP01
Bluetooth Headphone

Contents

Important Safety Instructions -----	2
BT HP01 -----	4
BT HP01 Anatomy -----	5
Adjusting the headband -----	6
Connecting the BT HP01 to an audio source -----	6
Disconnecting the BT HP01 -----	7
Switching the BT HP01 on/off -----	7
Changing the volume -----	8
Remote-controlling the connect devices from BT HP01-----	9
Managing Calls -----	10
Cleaning and maintaining the BT HP01 -----	10
Troubleshooting -----	11
Specifications -----	13
LIMITED WARRANTY (U.S Only) -----	14
Product Code -----	15

Important Safety Instructions

- . Read this user manual carefully and completely before using the product.
- . Always include this user manual when passing this product on to third parties.
- . Do not use a defective product if found.

Preventing damage to health and accidents

- . Do not listen at high volume levels for long periods of time to prevent damages to the ear.
- . Always maintain a distance of at least 3.94" (10 cm) between the ear cups and the cardiac pacemaker or implanted defibrillator since the product generates permanent magnetic fields.
- . Keep the product, accessory and packaging parts out of reach of children and pets who could swallow smaller pieces.
- . Do not use the product in an environment that requires your special attention (e.g. in traffic).

Preventing damage to the product and malfunctions

- . Always keep the product dry and do not expose it to extreme temperatures (hairdryer, heater, extended exposure to sunlight, etc.) to avoid corrosion or deformation.
- . Only clean the product with a soft, dry cloth.
- . Switch off the product after use to conserve battery power.

Intended Use

The BT HP01 is a wireless Bluetooth headphone designed to work with mobile phones or other Bluetooth devices/ Bluetooth compliant devices and allows for wireless music streaming or phone calls.

- “Improper use” means using the product
- . other than as described in this user manual,
 - . under operating conditions which differ from those described in this user manual.

Safety instructions for the Lithium –Polymer battery Pack



If abused or misused, the battery pack may leak. In extreme cases, it may even present an explosion or fire hazard.

- . Heat generation
- . Fire development
- . Explosion
- . Smoke or gas development

Please note that NAKAMICHI does not accept liability for damage arising from abuse or misuse.

- I Keep away from children
- ii Immediately remove the battery from an obvious defective product.
- iii Dispose the battery pack at special collection points or return it to a specialist dealer.
- iv When not using the device for extended periods of time. Please charge it before usage.
- v Only charge the device at ambient temperature between 10°C/50°F and 40°C/104°F.
- vi Do not heat above 70°C/ 158°F, e.g. do not expose to sunlight or throw the device into a fire.
- vii Do not dismantle or mutilate the device
- viii Do not expose to moisture.

BT HP01 – BLUETOOTH HEADPHONE



The BT HP01 is a headphone which allows for wireless music streaming when used with mobile phones or other Bluetooth devices/Bluetooth compliant devices.


Bluetooth

The BT HP01 complies with the Bluetooth 3.0 standard. Via its Bluetooth interface, it can be connected to a wide variety of Bluetooth enabled devices. Bluetooth wireless technology allows the BT HP01 to link with your Bluetooth enable devices (e.g. mobile phone, MP3 player, PC or tablets) with a range of up to 30feet (10 meters).

Additional features

- . Great for travel: comfortable, rugged and twistable construction
- . Optional connection via audio for music enjoyment with Bluetooth technology

BT HP01's Anatomy



1. USB interface for charging
2. Volume up (+)
3. Volume down (-)
4. Power on/off button
5. Microphone
6. Previous track
7. Play/pause button
8. Next track



Adjusting the headband

For optimum transmission quality, good noise attenuation and best possible comfort, the headband has to be adjusted to properly fit your head:

- Wear the headset so that the headband runs over the top of your head.
- Adjust the length of the headband so that
 - ✓ The ear pads rest comfortably against your ears,
 - ✓ You feel an even and gentle pressure around your ears,
 - ✓ A snug fitting of the headband on the head.

Connecting the BT HP01 to an audio source

CAUTION

Danger of malfunction due to radio waves!

The transmitted radio waves of mobile phones can impair the operation of sensitive and unprotected devices.

▶ Only use the headset in environments where wireless Bluetooth transmission is permitted.

The device complies with the Bluetooth 3.0 standard.

When switching the device on for the first time, it will automatically go into pairing mode. The device is waiting to be paired with a Bluetooth enable device.

▶ Press the On/Off button and keep it press until the LED alternately flashes blue and red.

The LED will flash blue and red alternately to indicate the device is in pairing mode.

Pairing the BT HP01 with an audio source

If the device is connect to an audio source via Bluetooth, the LED will flash blue three times and you will hear a beeping sound. This indicated the device is now connected with the audio source.

If no device is found within approximately five minutes, the LED will flash red three times . The device will automatically switch off.

Disconnecting the BT HP01

To disconnect the device from the audio source, you can switch off the headset or by pressing the button once. The device will still retain the audio source setting till the Bluetooth function is switch on again.



WARNING

Danger of hearing damage!

Listening at high volume levels for long periods can lead to permanent hearing defects.

- ▶ Before putting the device on, set the volume to a low level.
 - ▶ Do not continuously expose yourself to high volumes.
-

Switching the BT HP01 on

Press the On/Off button and keep it pressed until the LED flashes blue. You will head a beep sound.

. When turning the device on for the first time, the device will automatically go into a pairing mode.

. When the device is already paired to an audio source, the Bluetooth connection is automatically connected to the an audio source.

. When the device is already paired with an audio source, but if the audio is switched off or out of range, the device's LED will flash blue.

Switching the BT HP01 off

. Press the on/off button and keep it pressed until the LED flashes red three times.

. You will hear a descending beep. The Bluetooth connection is automatically deactivated. The device switches off.

Changing the volume

The BT HP01 allows you to change the volume of the audio signal during a call or while listening to music:



Buttons	Functions
V+	Incrementally increases the volume.
V-	Incrementally reduce the volume.

If you press the respective button briefly, the volume changes incrementally, if you hold down the button, the volume changes continuously.

When the minimum or maximum volume is reached, an acknowledgement tone will be heard.

Remote-controlling the connect devices from BT HP01

You can directly control any device support Bluetooth AVRCP profile via the buttons on the device.

Please kindly refer to the instruction manual of your audio source for information on whether your audio source supports the Bluetooth AVRCP profile.

Remote-controlling the audio source from the BT HP01

If your headset has a Bluetooth connection to an audio source (e.g. mobile phone, iPod, MP3 or CD player), you can use the BT HP01 to remote-control the audio source as follows:



Buttons	Functions
>/	Press once to pause or play the current track music.
<<	Press once to back track to the previous track music.
>>	Press once to skip to the next track music.

* These functions are not support by all connected Bluetooth devices.

Managing Calls

When the device is connected to mobile phone. When you received a call, the LED will flash blue three times per second. You can also hear the ringtone of the mobile phone, if your mobile phone supports this function.

If your mobile phone automatically transfer the call to the headset, you will hear a beep sound in the device. If your mobile phone does not automatically transfer the call to the headset, you have to press a button on your mobile phone to transfer the call (see the instruction manual of your mobile phone).

To manage your call from your BT HP01, press the on/off button

Buttons	Functions
	<p>Press once to accept the call. Press and hold for at least 2 seconds to reject the call.</p> <p>Press once during a phone conversation to end the call.</p>

Cleaning and maintaining the BT HP01

Cleaning the BT HP01

CAUTION

Liquids can damage the electronics of the product!

Liquids entering the housing of the product can cause a short-circuit and damages the electronics.

- ▶ Keep all liquids far away from the products.
- ▶ Do not use any solvents or cleansing agents.

For reasons of hygiene, the device should always be clean regularly:

- ▶ Before cleaning, make sure that the product is being charged.
- ▶ Only use a dry and soft cloth to clean the product.

Troubleshooting

Problems	Possible cause	Solution
Device cannot be switch on	Press once to pause or play the current track music.	Recharge the device.
No audio signal during a connected Bluetooth connection	The device is switched off.	Switch the device on.
	The device is not paired with an audio source.	Check if the device is paired. If not, pair the device with the audio source again.
	The volume is adjusted too low.	Increase the volume.
Device cannot be paired.	The pairing does not work.	Check if the audio source supports the A2DP profile. If not, use an alternative optional dongles.
	The audio source is switched off.	Switch the audio source on.

If a problem occurs that is not listed in the above table or the problem cannot be solved with the proposed solution, please email to support@nakamichi-usa.com

FCC STATEMENT

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC NOTICE

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

FCC CAUTION

- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.
- This device and its antenna(s) must not be co located or operating in conjunction with any other antenna or transmitter.

FCC ID: Z63-BT304BT307

- To locate the FCC identification numbers, please look on the underside of the headphone head bend.

Specifications

Speaker diameter	<u>Φ40mm</u>
Frequency response	<u>20 – 20,000 Hz</u>
Impedance	<u>32Ω</u>
Sound Pressure Level at	<u>1 kHz113dB</u>
Rated output power	<u>20 mW</u>
Aggregate capability	<u>50 mW</u>
Battery	<u>400 mAh</u>
Charging Cable Length	<u>1.5 m</u>
Weight	<u>200G</u>
Operating temperature range	<u>-10°C - 45°C</u>
Storage temperature range	<u>-25°C - 60°C</u>

Bluetooth

Bluetooth	<u>Version 3.0</u>
Range	<u>Up to 33feet (10 m)</u>
Transmission Frequency	<u>2.4 GHz</u>
Transmission power	<u>8 dBm</u>
Profiles	<u>AVRCP, A2DP</u>

WoW Technologies LIMITED WARRANTY (U.S Only)

WoW Technologies warrants this product against defects in materials or workmanship, under normal use, in accordance with the specifications and warnings, for a period of 12 months from the original date of purchase of the product. Pursuant to this Limited Warranty, WoW Technologies will, at its option, (i) repair the product using new or refurbish parts or (ii) replace the product with a new or refurbished product. For purpose of this Limited Warranty, "refurbished" means a product or part that has been returned to its original specifications.

The Limited Warranty covers only the hardware components packaged with the Product. It does not cover product issues caused by any other reasons, including but not limited to damages or malfunctions not resulting from defects in materials or workmanship under normal use, repair by unauthorized parties, tampering, misuse, modification, acts of GOD, accident. It does not cover limitations of technology or product purchased from other than WoW Technologies or WoW Technologies' authorized retailer, technical assistance for hardware or software usage, and it does not cover any software products whether or not contained in the Product; any such software is provided "AS IS" unless expressly provided for in any enclosed software Limited Warranty.

There are no other express or implied warranties. WoW Technologies' liability is limited to repair or, at its sole option, replacement of the product. Incidental, special and consequential damages are disclaimed where permitted by law.

Instructions: To obtain warranty service, you must deliver the product with the valid proof of purchase in the form of original sales receipt from WoW Technologies or a WoW Technologies' retailer showing the product name and the date of purchase, freight prepaid, in either its original packaging or packaging affording an equal degree of protection to our Support Centre. Please visit our website www.nakamichi-usa.com/support or email your problems to support@nakamichi-usa.com for customer support or to obtain specific instructions on how to obtain warranty service for your product.

Wow Technologies
2645 Brooklyn Queens Expressway W., Woodside, NY 11377

PRODUCT CODE: **304131111**